

## 7.0 REFERENCES

- Aagaard, K. and E.C. Carmack. 1994. The Arctic Ocean and Climate: A Perspective. Pages 5 – 20 in Johannessen, O.M., Muench, R.D., and Overland, J.E., editors. The polar oceans and their role in shaping the global environment: The Nansen Centennial Volume. Geophysical Monograph 85. American Geophysical Union. Washington, D.C.
- Ainana, L., N. Mymrin, L. Bogoslovskaya, and I. Zagrebin. 1995. Role of the Eskimo Society of Chukotka in encouraging traditional Native use of wildlife resources by Chukotka Natives and in conducting shore based observations on the distribution of bowhead whales, *Balaena mysticetus*, in coastal waters off the south-eastern part of the Chukotka Peninsula (Russia) during 1994. Report of Eskimo Society of Chukotka, Provideniya, Russia to Department of Wildlife Management, North Slope Borough, Barrow, Alaska.
- ADF&G (Alaska Department of Fish and Game). 2001a. Short-tailed Albatross. ADF&G. Available: <http://www.state.ak.us/local/akpages/FISH.GAME/wildlife/geninfo/game/albatros.htm>. (June 2007).
- ADF&G (Alaska Department of Fish and Game). 2001b. Spectacled Eider. ADF&G. Available: [http://www.state.ak.us/local/akpages/FISH.GAME/wildlife/geninfo/game/sp\\_eider.htm](http://www.state.ak.us/local/akpages/FISH.GAME/wildlife/geninfo/game/sp_eider.htm). (June 2007).
- ADF&G (Alaska Department of Fish and Game). 2001c. Steller's Eider. ADF&G. Available: [http://www.state.ak.us/local/akpages/FISH.GAME/wildlife/geninfo/game/st\\_eider.htm](http://www.state.ak.us/local/akpages/FISH.GAME/wildlife/geninfo/game/st_eider.htm). (June 2007).
- ADF&G (Alaska Department of Fish and Game). 2001d. Community Profile Database. Version 3.12. Available: <http://www.subsistence.adfg.state.ak.us/geninfo/publctns/cpdb.cfm>. ADF&G. (May 2007).
- AEWC (Alaska Eskimo Whaling Commission). 2006. Report on weapons, techniques, and observations in the Alaskan bowhead whale subsistence hunt. Report of AEWC to International Whaling Commission. IWC/58/WKM&AWI22.
- AEWC (Alaska Eskimo Whaling Commission). Undated. Overview of the Alaska Eskimo Whaling Commission. Available: [http://www.uark.edu/misc/jcdixon/Historic\\_Whaling/AEWC/AEWC.htm](http://www.uark.edu/misc/jcdixon/Historic_Whaling/AEWC/AEWC.htm). (November 2006)
- AEWC (Alaska Eskimo Whaling Commission) and NSB (North Slope Borough). 2007. Bowhead Subsistence Harvest Data. Compiled from AEWC records by the NSB Department of Wildlife Management. Electronic database. Available: North Slope Borough Dept of Wildlife Management, Barrow, Alaska, and National Marine Fisheries Service, National Marine Mammals Laboratory, Seattle, Washington.
- Alaska Magazine. 1982. From Ketchikan to Barrow: (News items) Six Eskimo whale hunters... Alaska Magazine. 48(9):30.

ADCCEC (Alaska Department of Commerce, Community, and Economic Development). 2007. Alaska Community Database Community Information Summaries. Available: <http://www.commerce.state.ak.us/dca/commdb/CIS.cfm>. (January 2007).

Albert, T. F. 1981. Some thoughts regarding the possible effect of oil contamination on the bowhead whale, *Balaena mysticetus*. Pages 945-953 in T. F. Albert, editor. Tissue structural studies and other investigations on the biology of endangered whales in the Beaufort Sea. Report of the Department of Veterinary Science, University of Maryland, to U.S. Bureau of Land Management. NTIS No. PB86-153566. College Park.

Allen, J. A. 1880. History of North American pinnipeds, a monograph of the walruses, sea-lions, sea-bears and seals of North America. Dept. Interior, U.S. Geological and Geographic Survey Territories, Miscellaneous Publication, 12:1-785.

Angliss, R. P., and K. L. Lodge. 2003. Alaska marine mammal stock assessments, 2003. U.S. Department of Commerce. National Oceanic and Atmospheric Administration Technical Memorandum. NMFSAFSC-144.

Angliss, R.P., A. Lopez and D.P. DeMaster. 2001. Alaska Marine Mammal Stock Assessments, 2001. U.S. Department of Commerce. National Oceanic and Atmospheric Administration Technical Memorandum. NMFS-AFSC-124.

Angliss, R. P., and R. B. Outlaw. 2005. Alaska marine mammal stock assessments, 2005. U.S. Department of Commerce. National Oceanic and Atmospheric Administration Technical Memorandum. NMFS-AFSC-161.

Angliss, R. P., and R. B. Outlaw. 2007. Alaska marine mammal stock assessments, 2006. U.S. Department of Commerce. National Oceanic and Atmospheric Administration Technical Memorandum. NMFS-AFSC-168.

Angliss, R.P., D.J. Rugh, D.E. Withrow and R.C. Hobbs. 1995. Evaluations of aerial photogrammetric length measurements of the Bering-Chukchi-Beaufort Seas stock of bowhead whales (*Balaena mysticetus*). Reports of the International Whaling Commission 45:313-324.

Angliss, R.P., G.K. Silber, and R. Merrick. 2002. Report of a Workshop on Developing Recovery Criteria For Large Whale Species. U.S. Department of Commerce. National Oceanic and Atmospheric Administration Technical Memorandum. NMFSOPR21.

ACIA (Arctic Climate Impact Assessment). 2004. Impacts of a warming Arctic: Arctic Climate Impact Assessment. Cambridge University Press, Cambridge, UK.

AMAP (Arctic Monitoring and Assessment Programme). 2002. Arctic Pollution 2002. AMAP. Oslo, Norway.

AMAP (Arctic Monitoring and Assessment Programme). 2003. AMAP Assessment 2002: Human Health in the Arctic. AMAP. Oslo, Norway.

ASRC (Arctic Slope Regional Corporation), Inc. 2007. Open Water Exploration and Appraisal Drilling Program, Beaufort Sea Public Information. Shell Offshore Inc. Available: <http://www.asrcenergy.com/shell/>. (June 2007).

Arnold, S. M., and J. P. Middaugh. 2004. Use of Traditional foods in a Healthy Diet in Alaska: Risks in Perspective. Second Edition: Volume 2. Mercury. State of Alaska Epidemiology Bulletin 8:11:148.

Arrigo, K.R. and G.L. van Dijken. 2004. Annual cycles of sea ice and phytoplankton in Cape Bathurst polynya, southeastern Beaufort Sea, Canadian Arctic. Geophysical Research Letters 31, L08304, doi: 10.1029/2003GL018978.

Bailey, A.M. 1928. An unusual migration of the spotted and ribbon seals. Journal of Mammalogy 9: 250-251.

Baretta, L., and G.L. Hunt, Jr. 1994. Changes in the numbers of cetaceans near the Pribilof Island, Bering Sea, between 1975-78 and 1987-89. Arctic 47: 321-326.

Bengtson, J. L., L. M. Hiruki-Raring, M. A. Simpkins, and P. L. Boveng. 2005. Ringed and bearded seal densities in the eastern Chukchi Sea, 1999-2000. Polar Biology 28: 833845.

Bessonov, B., V.V. Mel'nikov and V.A. Bobkov. 1990. Distribution and migration of cetaceans in the Soviet Chukchi Sea. Pages 25-31 in Conference Proceedings, Third Information Transfer Meeting. Minerals Management Service, Anchorage, Alaska.

Bockstoce, J.R. and D.B. Botkin. 1980. The historical status and reduction of the Western Arctic bowhead whale (*Balaena mysticetus*) population by the pelagic whaling industry, 1848-1914. Report of the Old Dartmouth Historical Society to the National Marine Fisheries Service. Contract 03-78-M02-0212.

Bockstoce, J.R., D. B. Bodkin, A. Philip, B. W. Collins, and J. C. George, 2005. The Geographic Distribution of Bowhead Whales, *Balaena mysticetus*, in the Bering, Chukchi, and Beaufort Seas: Evidence from Whaleship Records, 184901914. Marine Fisheries Review 76(3) 1 – 43.

Bodenhorn, B. 2000. The costs of sharing. Paper presented at the Spring 2000 Whaling Workshop, Anchorage Alaska. Available: [http://www.uark.edu/misc/jcdixon/Historic\\_Whaling/AEWC/barb\\_sharing.htm](http://www.uark.edu/misc/jcdixon/Historic_Whaling/AEWC/barb_sharing.htm). (February 2007).

Bodenhorn, B. 2003. Fall whaling in Barrow, Alaska: a consideration of strategic decisionmaking. Pages 277-306 in A.P. McCartney, editor. Indigenous ways to the present: native whaling in the Western Arctic. The Canadian Circumpolar Institute Studies in Whaling Number 6, Occasional Publication Number 54. Edmonton, Alberta: Canadian Circumpolar Institute Press.

Bogoslovskaya, L.S., L.M. Votrogov and I.I. Krupnik. 1982. The bowhead whale off Chukotka: migrations and aboriginal whaling. Reports of the International Whaling Commission 32: 391-399.

- Borodin, R. G. 2001. Aboriginal whaling in Chukotka waters in 2000. Report to International Whaling Commission SC/53/BRG23.
- Borodin, R. G. 2003. Report on the aboriginal subsistence whale harvest of the Russian Federation in 2002. Report to International Whaling Commission. SC/55/BRG22.
- Borodin, R. 2004. Subsistence whale harvest of the Russian Federation in 2003. Report to International Whaling Commission. SC/56/BRG49.
- Borodin, R.G. 2005. Subsistence gray and bowhead whaling by native people of Chukotka in 2004. Report to International Whaling Commission. SC/57/BRG24.
- Borodin, R. G., Blokhin, and D. Litovka. 2002. Historical and present information about the aboriginal whale harvest of Gray Whales in Chukotka, Russia. Report to International Whaling Commission. SC/54/BRG27.
- Borstad, G.A. 1985. Water colour and temperature in the southern Beaufort Sea: remote sensing in support of ecological studies of the bowhead whale. Canadian Technical Report of Fisheries and Aquatic Sciences, No. 1350.
- Braham, H.W. 1995. Sex and size composition of bowhead whales landed by Alaska Eskimo whalers. Pages 281-313 in A.P. McCartney, editor. Hunting the largest animals: native whaling in the Western Arctic and subarctic. The Canadian Circumpolar Institute Studies in Whaling Number 3, Occasional Publication Number 36. Edmonton, Alberta: Canadian Circumpolar Institute Press.
- Braham, H.W. and M.E. Dahlheim. 1982. Killer whales in Alaska documented in the Platforms of Opportunity Program. Reports of the International Whaling Commission 32: 643-646.
- Braham, H.W., J.J. Burns, G.A. Fedoseev, and B.D. Krogman. 1984. Habitat partitioning by ice-associated pinnipeds: distribution and density of seals and walruses in the Bering Sea, April 1976. Pages 25-47 in Fay, F. H. and G. A. Fedoseev, editors. Soviet-American cooperative research on marine mammals. Vol. 1. Pinnipeds. U.S. Department of Commerce. National Oceanic and Atmospheric Administration Technical Report. NMFS 12.
- Braham, H.W., M.A. Fraker and B.D. Krogman. 1980. Spring migration of the Western Arctic population of bowhead whales. Marine Fisheries Review 42(9-10): 36-46.
- Brandon, J. and P. R. Wade. 2006. Assessment of the Bering-Chukchi-Beaufort Seas stock of bowhead whales using Bayesian model averaging. Journal of Cetacean Research and Management 8(3):225-239.
- Bratton, G.R., C.B. Spainhour, W. Flory, M. Reed and K. Jayko. 1993. Presence and potential effects of contaminants. Pages 701-744 in J.J. Burns, J.J. Montague, and C.J. Cowles, editors. Special publication 2: the bowhead whale. Society for Marine Mammalogy, Lawrence, Kansas.

- Braund, S.R., S.W. Stoker, and J.A. Kruse. 1988. Quantification of subsistence and cultural need for bowhead whales by Alaska Eskimos. Report of Stephen R. Braund & Associates, Anchorage, Alaska, to the Bureau of Indian Affairs, U.S. Department of the Interior. International Whaling Commission TC/40/AS2.
- Braund, S. R. & Associates. 1997. Quantification of subsistence and cultural need for bowhead whales by Alaska Eskimos, 1997 Update based on 1997 Alaska Department of Labor Data. Report of Stephen R. Braund & Associates, Anchorage, Alaska, to the International Whaling Commission. IWC/54/AS1.
- Braund, S. R. & Associates. 2007. Quantification of Subsistence and Cultural Need for Bowhead Whales by Alaska Eskimos. 2007 update based on 2000 U.S. Census Data. April 2007. Report of Stephen R. Braund & Associates, Anchorage, Alaska, to the International Whaling Commission. IWC/59/ASW6.
- Braund, S. R. & Associates, and ISER (Institute of Social and Economic Research), 1993. Appendix D. Methodology. North Slope Subsistence Study – Barrow, 1987, 1988, and 1989. Technical Report No. 149. OCS Study No. MMS 91-0086. Minerals Management Service, Anchorage, Alaska.
- Breiwick, J.M., and H.W. Braham, editors. 1984. The status of endangered whales. Marine Fisheries Review 46(4): 1-64.
- Brooks, J.W. 1954. A contribution to the life history and ecology of the Pacific walrus. Alaska Cooperative Wildlife Research Unit, University of Alaska, Fairbanks, Special Report Number 1.
- Brueggeman, J.J. 1982. Early spring distribution of bowhead whales in the Bering Sea. Journal of Wildlife Management 46: 1036-1044.
- Brueggeman, J.J., B. Webster, R. Grotfendt, and D. Chapman. 1987. Monitoring the winter presence of bowhead whales in the Navarin Basin through association with sea ice. Report of Envirosphere Company for Minerals Management Service. NTIS No. PB88-101258.
- Buckland, S.T. and J.M. Breiwick. 2002. Estimated trends in abundance of eastern Pacific gray whales from shore counts, 1967/68 to 1995/96. Journal of Cetacean Research and Management (Special Issue) (SC/A90/G9) 4: 41-48.
- Buckland, S.T., J.M. Breiwick, K.L. Cattanach, and J.L. Laake. 1993. Estimated population size of the California gray whale. Marine Mammal Science 9: 235-249.
- Burns, J.J. 1965. The walrus in Alaska: its ecology and management. Federal Aid in Wildlife Restoration, Project Report 5. Alaska Department of Fish and Game, Juneau.
- Burns, J. J. 1967. The Pacific bearded seal. Federal Aid in Wildlife Restoration, Projects W-6-R and W-14-R. Alaska Department of Fish and Game, Juneau.

- Burns, J.J. 1970. Remarks on the distribution and natural history of pagophilic pinnipeds in the Bering and Chukchi seas. *Journal of Mammalogy* 51: 445-454.
- Burns, J.J. 1973. Marine mammal report. Pittman-Robertson Project Report. W-17-3, W-17-4, and W-17-5. Alaska Department of Fish and Game, Juneau.
- Burns, J.J. 1981a. Bearded seal -*Erignathus barbatus* Erxleben, 1777. Pages 145-170 in Ridgway, S. H. and R. H. Harrison, editors. *Handbook of marine mammals*. Vol. 2. Seals. Academic Press, New York.
- Burns, J.J. 1981b. Ribbon seal -*Phoca fasciata* Zimmermann, 1783. Pages 89-109, in Ridgway, S. H. and R. H. Harrison, editors. *Handbook of marine mammals*. Vol. 2. Seals. Academic Press, New York.
- Burns, J.J. and S.J. Harbo, Jr. 1972. An aerial census of ringed seals, northern coast of Alaska. *Arctic* 25: 279-290.
- Burns, J.J., L.H. Shapiro, and F.H. Fay. 1981a. Ice as marine mammal habitat in the Bering Sea. Pages 781-797 in Hood, D. W. and J. A. Calder, editors. *The eastern Bering Sea shelf: oceanography and resources*. Vol. 2. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Office of Marine Pollution Assessment, Juneau, Alaska.
- Burns, J.J., L.H. Shapiro, and F.H. Fay. 1981b. The relationships of marine mammal distributions, densities and activities to sea ice conditions. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Outer Continental Shelf Environmental Assessment Program (OCSEAP) Environmental Assessment of the Alaskan Continental Shelf, Final Report, Biological Studies 11: 489-670.
- Clark, C.W. and W.T. Ellison. 2000. Calibration and comparison of the acoustic location methods used during the spring migration of the bowhead whale off Point Barrow, Alaska, 19841993. *Journal of the Acoustical Society of America* 107 (6): 3509-17.
- Cubbage, J.C. and J. Calambokidis. 1987. Size-class segregation of bowhead whales discerned through aerial stereophotogrammetry. *Marine Mammal Science* 3:179-185.
- Dahlheim, M.E., T. Bray, and H. Braham. 1980. Vessel survey for bowhead whales in the Bering and Chukchi seas, June-July 1978. *Marine Fisheries Review* 42(9-10):51-7.
- Dahlheim, M., A. York, R. Towell, J. Waite, and J. Breiwick. 2000. Harbor porpoise (*Phocoena phocoena*) abundance in Alaska: Bristol Bay to Southeast Alaska, 1991-1993. *Marine Mammal Science* 16: 28-45.
- Davies, J. R. 1997. The impact of an offshore drilling platform on the fall migration path of bowhead whales: a GIS-based assessment. Master's thesis, Western Washington University, Bellingham, Washington.

- Davis, R. A., W.R. Koski, and G.W. Miller. 1983. Preliminary assessment of the length-frequency distribution and gross annual recruitment rate of the western arctic bowhead whale as determined with low-level aerial photogrammetry, with comments on life history. Report of LGL, Ltd., to the National Marine Fisheries Service, National Marine Mammal Laboratory, Seattle, Washington.
- Davis, R. A., W.R. Koski, G.W. Miller, P.L. McLaren, and C.R. Evans. 1986. Reproduction in the bowhead whale, summer 1985. Report to the International Whaling Commission SC/38/PS2.
- Dorsey, E.M., S.J. Stern, A.R. Hoelzel, and J. Jacobsen. 1990. Minke whale (*Balaenoptera acutorostrata*) from the west coast of North America: individual recognition and small scale site fidelity. Reports of the International Whaling Commission (Special Issue 12): 357-368.
- Dronenburg, R.B., J.C. George, B.D. Krogman and R.M. Sonntag. 1986. Report of the 1984 spring bowhead whale (*Balaena mysticetus*) ice-based census. Reports of the International Whaling Commission 36: 293-8.
- Egeland, G. M., L. A. Feyk, and J. P. Middaugh. 1998. Use of Traditional foods in a Healthy Diet in Alaska: Risks in Perspective. State of Alaska Epidemiology Bulletin 2:1:1140.
- Ellis, Richard. 1991. Men and Whales. The Lyons Press, New York.
- Engelhardt, F.R. 1987. Assessment of the vulnerability of marine mammals to oil pollution. In: Fate and Effects of Oil in Marine Ecosystems (Ed. by J. Kuiper & W.J. Van den Brink), pp. 101–115. Martinus-Nijhoff Publishers, Dordrecht, Boston, Lancaster.EPA (Environmental Protection Agency). 2007. Taking of marine mammals incidental to specified activities: On-ice geotechnical operations in the Beaufort Sea. Pages 2653-2656 in Federal Register: January 22, 2007 (Volume 72, Number 13). Available: <http://www.epa.gov/fedrgstr/EPAIMPACT/2007/January/Day22/i812.htm>. (June 2007).
- Fay, F.H. 1955. The Pacific walrus (*Odobenus rosmarus divergens*): spatial ecology, life history, and population. Ph.D. Thesis. University of British Columbia, Vancouver.
- Fay, F. H. 1974. The role of ice in the ecology of marine mammals of the Bering Sea. Pages 383-389 in Hood, D. W. and E. J. Kelley, editors. Oceanography of the Bering Sea. Institute of Marine Science Occasional Publication 2. University of Alaska, Fairbanks.
- Fay, F.H. 1982. Ecology and biology of the Pacific walrus, *Odobenus rosmarus divergens* Illiger. North American Fauna 74:1-279
- Fay, F.H. and S.W. Stoker. 1982. Reproductive success and feeding habits of walruses taken in the 1982 spring harvest, with comparisons from previous years. Report to the Alaska Eskimo Walrus Commission, Nome, Alaska.

Fay, F.H., B.P. Kelly, P.H. Gehnrich, J.L. Sease, and A.A. Hoover. 1984. Modern population, migrations, demography, trophics, and historical status of the Pacific walrus. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Outer Continental Shelf Environmental Assessment Program (OCSEAP) Final Report 37(1986): 231-376.

Fedoseev, G.A. 1984. [Encountering whales in the ice fields of the Sea of Okhotsk.] Ekologiya 3: 81-83. [In Russian, partial translation by S. Smrstik, available from the National Marine Mammal Laboratory Library, Seattle, WA 98115].

Finley, K.J., G.W. Miller, R.A. Davis and W.R. Koski. 1983. A distinctive large breeding population of ringed seals (*Phoca hispida*) inhabiting the Baffin Bay pack ice. Arctic 36: 162-173.

First Break. 2007. Arctic 2D Survey completed. Available:

[http://www.firstbreak.org/content.php?TB=2&section=3&issue=130&lang=&PHPSESSI\\_D=1b1febdbd8b228e5d96e4467f595c5ea](http://www.firstbreak.org/content.php?TB=2&section=3&issue=130&lang=&PHPSESSI_D=1b1febdbd8b228e5d96e4467f595c5ea). (April 2007).

Freeman, M.M.R. 1989. The Alaska Eskimo Whaling Commission: successful co-management under extreme conditions. Pages 137-153 in E. Pinkerton, editor. Cooperative management of local fisheries: New directions for improved management and community development. University of British Columbia Press, Vancouver.

Frost, K.J. 1985. The ringed seal. Report to Alaska Department of Fish and Game, Fairbanks.

Frost, K.J., L.F. Lowry, J.R. Gilbert and J.J. Burns. 1988. Ringed seal monitoring: relationships of distribution and abundance to habitat attributes and industrial activities. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Outer Continental Shelf Environmental Assessment Program (OCSEAP) Final Report 61 (1989): 345-445.

Frost, K.J., L.F. Lowry, S. Hills, G. Pendleton and D. DeMaster. 1997. Monitoring distribution and abundance of ringed seals in northern Alaska. Interim Report May 1996-March 1997, Cooperative Agreement 14-35-00130810. Minerals Management Service, Anchorage, Alaska.

Frost, K.J., L.F. Lowry, S. Hills, G. Pendleton and D. DeMaster. 1998. Monitoring distribution and abundance of ringed seals in northern Alaska. Interim Report April 1997-March 1998, Cooperative Agreement 14-35-00130810. Minerals Management Service, Anchorage, Alaska.

Frost, K.J., L.F. Lowry, C. Hessinger, G. Pendleton, D. DeMaster and S. Hills. 1999. Monitoring distribution and abundance of ringed seals in northern Alaska. Interim Report April 1998-March 1999, Cooperative Agreement 14-35-00130810. Minerals Management Service, Anchorage, Alaska.

- Frost, K. J., L. F. Lowry, G. Pendleton, and H. R. Nute. 2002. Monitoring distribution and abundance of ringed seals in northern Alaska. OCS Study MMS 2002-04. Report of the Alaska Department of Fish and Game, Juneau, Alaska, to Minerals Management Service, Anchorage, Alaska.
- Gaskin, D.E. 1984. The harbor porpoise, *Phocoena phocoena* (L.): regional population, status and information on direct and indirect catches. Reports of the International Whaling Commission 34: 569-586.
- George, J.C. 1996. Testimony *in* Transcript of Proceedings, Environmental Impact Statement for Beaufort Sea Oil and Gas Development, Northstar Environmental Impact Statement Project, public scoping meeting, Monday, March 25, 1996, Barrow, Alaska. Alaska Stenotype Reporters report for the U.S. Army Corps of Engineers, Anchorage, Alaska.
- George, J.C. 2001. Preliminary data on line entanglement of bowhead whales based on postmortem examinations of harvested whales. Report to North Slope Borough, Division of Wildlife Management, Barrow, Alaska.
- George J. C., Philo L. M., Carroll G. M., and Albert T. F. (1988) 1987 Subsistence harvest of bowhead whales, *Balaena mysticetus*, by Alaska Eskimos. Reports of the International Whaling Commission 38:389–392.
- George, J.C., L. Philo, K. Hazard, D. Withrow, G. Carroll and R. Suydam. 1994. Frequency of killer whale (*Orcinus orca*) attacks and ship collisions based on scarring on bowhead whales (*Balaena mysticetus*) of the Bering-Chukchi-Beaufort seas stock. Arctic 47(3): 247-55.
- George, J.C., R.S. Suydam, L.M. Philo, T.F. Albert, J.E. Zeh and G.M. Carroll. 1995. Report of the spring 1993 census of bowhead whales, *Balaena mysticetus*, off Point Barrow, Alaska, with observations on the 1993 subsistence hunt of bowhead whales by Alaska Eskimos. Reports of the International Whaling Commission 45: 371-384.
- George J.C.; Zeh J.; Suydam R.; Clark C. 2004a. Abundance and population trend (1978-2001) of Western Arctic bowhead whales surveyed near Barrow, Alaska. Marine Mammal Science 20 (4):755-773
- George, J. C., H. P. Huntington, K. Brewster, H. Eicken, D. W. Norton, and R. Glenn. 2004b. Observations on shorefast ice dynamics in arctic Alaska and the responses of the Inupiat hunting community. Arctic 57 (4 ):363374.
- Geraci, J.R. 1990. Physiologic and toxic effects on cetaceans. Pages 167-197 *in* Geraci, J.R. and D.J. St. Aubin, editors. Sea mammals and oil: Confronting the risks. Academic Press, San Diego, California.
- Geraci, J.R., and D.J. St. Aubin. 1987. Effects of offshore oil and gas development on marine mammals and turtles. Pages 587-617 *in* Boesch, D.F. and N.N. Rabalais, editors. Long-term environmental effects of offshore oil and gas development. Elsevier Applied Science, London.

Gerber, L. R., A. C. Keller, D. P. DeMaster, 2007. Ten thousand and increasing: Is the western Arctic population of bowhead whale endangered? *Biological Conservation* 137(2007) 577 – 583.

Gitay, H., Suarez, A., Watson, R.T. and Dokken, D.J. (eds). 2002. IPCC Technical Paper V. Climate Change and Biodiversity. IPCC, Geneva

Goold, J.C. and P.J. Fish. 1998. Broadband spectra of seismic survey airgun emissions, with reference to dolphin auditory thresholds. *Journal of the Acoustical Society of America* 103:2177-2184.

Gorbics, C.S., J.L. Garlich-Miller and S.L. Schliebe. 1998. Draft Alaska marine mammal stock assessments 1998: sea otters, polar bear and walrus. U.S. Fish and Wildlife Service, Anchorage, Alaska.

Greene, C.R. 1983. Characteristics of underwater noise during construction of Seal Island, Alaska 1982. Pages 118-150 in B.J. Gallaway, editor. Biological studies and monitoring at Seal Island, Beaufort Sea, Alaska 1982. Report of LGL Ltd., Bryan, Texas to Shell Oil Company, Houston, Texas.

Greene, C.R., Jr. and W.J. Richardson. 1988. Characteristics of Marine Seismic Survey Sounds in the Beaufort Sea. *Journal of the Acoustical Society of America* 83:2246-2254.

Gulland, F.M.D., H. Perez-Cortes, J. Urban-R, L. Rojas-Bracho, G. Ylitalo, C. Kreuder, and T. Rowles. 2002. Eastern North Pacific gray whale unusual mortality event, 1999-2000: a compilation. Report to the International Whaling Commission SC/54/BRG23.

Gulland, F.M.D., H. Pérez-Cortés M., J. Urgán R., L. Rojas-Bracho, G. Ylitalo, J. Weir, S.A. Norman, M.M. Muto, D.J. Rugh, C. Kreuder, and T. Rowles. 2005. Eastern North Pacific gray whale (*Eschrichtius robustus*) unusual mortality event, 1999-2000. U.S. Department of Commerce, National Oceanic and Atmospheric Administration Technical Memorandum NMFS-AFSC-150.

Gurevich, V.S. 1980. Worldwide distribution and migration patterns of the white whale (beluga), *Delphinapterus leucas*. *Reports of the International Whaling Commission* 30: 465-480.

Hall, J.D., M.L. Gallagher, K.D. Brewer, P.R. Regos and P.E. Isert. 1994. ARCO Alaska, Incorporated 1993 Kuvlum exploration area site specific monitoring program, final report. Report of Coastal and Offshore Pacific Corporation, Walnut Creek, California, for ARCO Alaska Incorporated, Anchorage.

Hazard, K.W. and J.C. Cubbage. 1982. Bowhead whale distribution in the southeastern Beaufort Sea and Amundsen Gulf, summer 1979. *Arctic* 35: 519-523.

Hazard, K. 1988. Beluga whale, *Delphinapterus leucas*. Pages 195-235 in J. W. Lentfer, editor. Selected marine mammals of Alaska: species accounts with research and management recommendations. Marine Mammal Commission, Washington, D.C.

- Heide-Jørgensen, M.P., B.S. Stewart and S. Leatherwood. 1992. Satellite tracking of ringed seals *Phoca hispida* off northwest Greenland. *Ecography* 15: 56-61.
- Heidel, J.R. and T.F. Albert. 1994. Intestinal volvulus in a bowhead whale (*Balaena mysticetus*). *Journal of Wildlife Diseases* 30: 126-128.
- Heyning, J.E. and M.E. Dahlheim. 1988. *Orcinus orca*. *Mammalian Species* 304: 1-9.
- Hoekstra, P.F., T.M. O'Hara, S.J. Pallant, K.R. Solomon, D.C.G. Muir. 2002a. Bioaccumulation of organochlorine contaminants in bowhead whales (*Balaena mysticetus*) from Barrow, Alaska. *Archives of Environmental Contamination and Toxicology* 42:497-507.
- Hoekstra, P.F., C.S. Wong, T.M. O'Hara, K.R. Solomon, S.A. Mabury, and D.C.G. Muir. 2002b. Enantiomer-specific accumulation of PCB atropisomers in the bowhead whale (*Balaena mysticetus*). *Environmental Science and Technology* 36:1419-1425.
- Huntington, H.P. 2000. Using Traditional Ecological Knowledge in science: Methods and applications. *Ecological Applications* 10(5):1270-1274.
- IPCC (Intergovernmental Panel on Climate Change). 2007. The physical science basis summary for policymakers. Fourth Assessment Report of the IPCC. United Nations, Geneva, Switzerland.
- IWC (International Whaling Commission). 1991. Reports of the International Whaling Commission 41: 1-2.
- IWC (International Whaling Commission). 1992. Chairman's report of the 43rd annual meeting. *Reports of the International Whaling Commission* 42: 11-50
- IWC (International Whaling Commission). 1999. Report of the sub-committee on aboriginal subsistence whaling. Annex G. *Journal of Cetacean Research and Management* 1 (Supplemental): 179-194.
- IWC (International Whaling Commission). 2001. Annual Report of the International Whaling Commission 2000. Cambridge, UK.
- IWC (International Whaling Commission). 2005a. Report of the Scientific Committee. *Journal of Cetacean Research and Management* 7 (Supplemental):1-62.
- IWC (International Whaling Commission). 2005b. Annual Report of the International Whaling Commission 2004: Annex I. Cambridge, UK.
- Johnson, M.L., C.H. Fiscus, B.T. Ostenson and M.L. Barbour. 1966. Marine Mammals. Pages 877-924 in Wilimovsky, N. J. and J. N. Wolfe, editors. *Environment of the Cape Thompson region, Alaska*. U. S. Atomic Energy Commission, Oak Ridge, Tennessee.

- Kapel, F.O., J. Christiansen, M.P. Heide-Jørgensen, T. Häkkinen, E.W. Born, L.Ø. Knutsen, F. Riget and J. Teilmann. 1998. Netting and conventional tagging used to study movements of ringed seals (*Phoca hispida*) in Greenland. Pages 211-228 in Heide-Jørgensen, M. P. and C. Lydersen, editors. Ringed seals in the North Atlantic. North Atlantic Marine Mammals Commission (NAMMCO) Scientific Publications, Vol. 1, Tromsø, Norway.
- Kelly, B. P. 1988a. Ribbon seal, *Phoca fasciata*. Pages 95-106 in Lentfer, J. W., editor. Selected marine mammals of Alaska. Species accounts with research and management recommendations. Marine Mammal Commission, Washington, D.C.
- Kelly, B. P. 1988b. Ringed seal, *Phoca hispida*. Pages 57-75 in Lentfer, J. W., editor. Selected marine mammals of Alaska. Species accounts with research and management recommendations. Marine Mammal Commission, Washington, D.C.
- Kibal'chich, A.A., G.A. Dzhamanov, and M.V. Ivashin. 1986. Records of bowhead and gray whales in the early winter in the Bering Sea. Reports of the International Whaling Commission 36: 291-292.
- Koski, W. R., R. A. Davis, G. W. Miller, and D. E. Withrow. 1993. Pages 239-274 in J. J. Burns, J. J. Montague, and C. J. Cowles, editors. Special publication 2: the bowhead whale. Society for Marine Mammalogy, Lawrence, Kansas.
- Krogman, B.D. 1980. Sampling strategy for enumerating the Western Arctic population of the bowhead whale. *Marine Fisheries Review* 42(9-10): 30-36.
- Krutzikowsky, G.K. and B.R. Mate. 2000. Dive and surfacing characteristics of bowhead whales (*Balaena mysticetus*) in the Beaufort and Chukchi seas. *Canadian Journal of Zoology* 78: 1182-98.
- Langdon, S. J. 1984. Alaska Native self-regulatory subsistence compacts - Alaska Eskimo Whaling Commission. Pages 42 - 51 in Alaska Native subsistence: Current regulatory regimes and issues: Volume XIX. Paper for roundtable discussions of subsistence. October 10-13, 1984. Alaska Native Review Commission.
- Larned, W. W., and G. R. Balogh. 1997. Eider breeding population survey, arctic coastal plain, Alaska, 1992-1996. U.S. Fish and Wildlife Service, Migratory Bird Management, Anchorage, Alaska.
- Larned, W., T. Tiplady, R. Platte, and R. Stehn. 1999. Eider breeding population survey, arctic coastal plain, Alaska, 1997-1998. U.S. Fish and Wildlife Service, Migratory Bird Management, Anchorage, Alaska.
- Leatherwood, S., R.R. Reeves, W.F. Perrin, and W.E. Evans. 1982. Whales, dolphins, and porpoises of the eastern North Pacific and adjacent Arctic waters: a guide to their identification. National Oceanic and Atmospheric Administration Technical Report NMFS 444.

- LeBoeuf, B.J., H. Perez-Cortes M., U. Urban R., B.R. Mate, and F. Ollervides U. 2000. High gray whale mortality and low recruitment in 1999: potential causes and implications. *Journal of Cetacean Research and Management* 2: 85-99.
- LeDuc, R.G., Weller, D.W., Hyde, J., Burdin, A.M., Rosel, P.E., Brownell, R.L., Jr., Würsig, B. and Dizon, A.E. 2002. Genetic differences between western and eastern North Pacific gray whales (*Eschrichtius robustus*). *Journal of Cetacean Research and Management* 4(1):15.
- LeDuc, R.G., A.E. Dizon, A.M. Burdin, S.A. Blokhin, J.C. George and R.L. Brownell, Jr. 2005. Genetic analyses (mtDNA and microsatellites) of Okhotsk and Bering/Chukchi/Beaufort Seas populations of bowhead whales. *Journal of Cetacean Research and Management* 7(2):107-111
- Lentfer, J.W., editor. 1988. Selected marine mammals of Alaska: species accounts with research and management recommendations. Marine Mammal Commission. Washington, D.C.
- Ljungblad, D.K., S.E. Moore and J.T. Clarke. 1986. Assessment of bowhead whale (*Balaena mysticetus*) feeding patterns in the Alaskan Beaufort and northeastern Chukchi Seas via aerial surveys, fall 1979-1984. *Reports of the International Whaling Commission* 36: 265-272.
- Ljungblad, D. K., S. E. Moore, J. T. Clarke, and J. C. Bennett. 1986. Aerial surveys of endangered whales in the northern Bering, eastern Chukchi and Alaskan Beaufort Sea, 1985: with a seven year review, 1979-85. Naval Ocean Systems Center report to Minerals Management Service. NTIS Number PB87-115929.
- Ljungblad, D.K., S.E. Moore, J.T. Clarke, and J.C. Bennett. 1987. Distribution, abundance, behavior and bioacoustics of endangered whales in the Alaskan Beaufort and eastern Chukchi Seas, 1979-86. Naval Ocean Systems Center report to Minerals Management Service. NTIS Number AD-A183934/9.
- Ljungblad, D.K., B. Würsig, S.L. Swartz and J.M. Keene. 1988. Observations on the behavioral responses of bowhead whales (*Balaena mysticetus*) to active geophysical vessels in the Alaskan Beaufort Sea. *Arctic* 41(3): 183-194.
- Lowry, L.F. 1982. Documentation and assessment of marine mammal-fishery interactions in the Bering Sea. *Transcriptions of the North American Wildlife and Natural Resources Conference* 47: 300-311.
- Lowry, L.F. 1984. The spotted seal (*Phoca largha*). Pages 1-11 in Alaska Department of Fish and Game marine mammal species accounts. Vol. 1. Juneau, Alaska.
- Lowry, L. F. 1993. Foods and feeding ecology. Pages 201-238 in J. J. Burns, J. J. Montague, and C. J. Cowles, editors. Special publication 2: the bowhead whale. Society for Marine Mammalogy, Lawrence, Kansas.

- Lowry, L.F., K.J. Frost, R. Davis, D.P. DeMaster, and R.S. Suydam. 1998. Movements and behavior of satellite-tagged spotted seals (*Phoca largha*) in the Bering and Chukchi Seas. *Polar Biology* 19: 221-230.
- Lowry, L.F., K.J. Frost, V.N. Burkanov, M.A. Simpkins, A. Springer, D.P. DeMaster, and R. Suydam. 2000. Habitat use and habitat selection by spotted seals (*Phoca largha*) in the Bering Sea. *Canadian Journal of Zoology* 78: 1959-1971.
- Mallek, E.J. 2002. Aerial breeding pair surveys of the Arctic Coastal Plain of Alaska, 2001. Report to U.S. Fish and Wildlife Service, Fairbanks, Alaska.
- Marko, J.R., and M.A. Fraker. 1981. Spring ice conditions in the Beaufort Sea in relation to bowhead whale migration. Report of LGL, Ltd., to Alaska Oil Gas Association, Anchorage, Alaska.
- Marquette, W.M. and J.R. Bockstoce. 1980. Historical shore-based catch of bowhead whales in the Bering, Chukchi, and Beaufort seas. *Marine Fisheries Review* 42(9-10): 5-19.
- Mate, B.R., G.K. Krutzikowsky and M.H. Winsor. 2000. Satellite-monitored movements of radio-tagged bowhead whales in the Beaufort and Chukchi seas during the late-summer feeding season and fall migration. *Canadian Journal of Zoology* 78: 1168-81.
- Matkin, C. O., G. Ellis, L. Barrett-Lennard, H. Yurk, E. Saulitis, D. Scheel, P. Olesiuk, and G. Ylitalo. 2003. Photographic and acoustic monitoring of killer whales in Prince William Sound and Kenai Fjords. Exxon Valdez Oil Spill Restoration Project 030012, Final Report. North Gulf Ocean Society, Homer Alaska.
- McGhee, R., 1984. Thule prehistory of Canada. Pages 369-376 in Damas, D., editor. *Handbook of North American Indians*. Vol. 5, Arctic. Smithsonian Institution, Washington, D.C.
- McLaren, I.A. 1958. The biology of the ringed seal (*Phoca hispida* Schreber) in the eastern Canadian Arctic. *Fisheries Research Board of Canada Bulletin* 118.
- McLaren, P.L., and W.J. Richardson. 1985. Use of the eastern Alaskan Beaufort Sea by bowheads in late summer and autumn. Pages 7-35 in *Importance of the eastern Alaskan Beaufort Sea to feeding bowheads: literature review and analysis*. Report of LGL, Ltd., and Arctic Science, Ltd. for Minerals Management Service.
- McLaughlin, J., J. Middaugh, D. Boudreau, G. Malcom, S. Parry, R. Tracy, and W. Newman. 2005. Adipose tissue triglyceride fatty acids and atherosclerosis in Alaska Natives and non-Natives. *Atherosclerosis* 181:353-362.
- Mel'nikov, V.V. and A.V. Bobkov. 1993. Bowhead whale migration in the Chuckchee Sea. *Russian Journal of Marine Biology* 19(3): 180-185.
- Mel'nikov, V.V. and A.V. Bobkov. 1994. On the bowhead whale migrations in the Chukchi Sea, 1991. *Oceanology* 33(5): 643-647.

Mel'nikov, V.V., M.A. Zelensky, and V.V. Bychkov. 1997. Seasonal migrations and distribution of bowhead whale in waters of Chukotka. Russian Journal of Marine Biology 23(4): 175-83.

Mel'nikov, V.V., M.A. Zelensky, and L.I. Ainana. 1998. Observations on distribution and migration of bowhead whales (*Balaena mysticetus*) in the Bering and Chukchi seas. Report to the International Whaling Commission AS/50/AS3.

Michie, Preston. 1979. Alaskan Natives: Eskimos and bowhead whales: an inquiry into cultural and environmental values that clash in courts of law. American Indian Law Review, Vol 7: 79-115.

Miller, R.V., D.J. Rugh, and J.H. Johnson. 1986. The distribution of bowhead whales, *Balaena mysticetus*, in the Chukchi Sea. Marine Mammal Science 2: 214-22.

Miller, G.W., R.E. Elliott, W.R. Koski, V.D. Moulton and W.J. Richardson. 1999. Whales. Pages 5-1 to 5-109 in W.J. Richardson, editor. Marine mammal and acoustical monitoring of Western Geophysical's open-water seismic program in the Alaskan Beaufort Sea, 1998. LGL Rep. TA2230-3. Report of LGL Ltd., and Greeneridge Sciences Inc. for Western Geophysical, Houston, Texas, and National Marine Fisheries Service, Anchorage, Alaska, and Silver Spring, Maryland.

MMS (Minerals Management Service). 2001. Liberty development and production plan. Draft Environmental Impact Statement. OCS EIS/EA, MMS 2001-001. 4 Vols. Minerals Management Service, Anchorage, Alaska.

MMS (Minerals Management Service). 2002. Beaufort Sea planning area, sales 186, 195, and 202, oil and gas lease sale. Draft Environmental Impact Statement. Minerals Management Service, Anchorage, Alaska.

MMS (Minerals Management Service). 2003. Beaufort Sea planning area, sales 186, 195, and 202, oil and gas lease sale. Final Environmental Impact Statement. OCS EIS/EA, MMS 2003-001. Minerals Management Service, Anchorage, Alaska.

MMS (Minerals Management Service). 2004. Proposed oil and gas lease sale 195 Beaufort Sea planning area. Environmental Assessment. OCS EIS/EA, MMS 2004-028. Minerals Management Service, Anchorage, Alaska.

MMS (Minerals Management Service). 2006a. Appendix C - Subsistence harvest activities in Inupiat communities in and adjacent to the Beaufort and Chukchi seas proposed action area. Arctic Ocean offshore continental shelf seismic surveys 2006. Final Programmatic Environmental Assessment. OCS EIS/EA MMS 2006-038. Minerals Management Service, Anchorage, Alaska.

MMS (Minerals Management Service). 2006b. Proposed OCS lease sale 202, Beaufort Sea planning area. Environmental Assessment. Minerals Management Service, Anchorage, Alaska. Available:

[http://www.mms.gov/alaska/ref/EIS%20EA/BeaufortEA\\_202/Sections\\_I%20thru%20III.pdf](http://www.mms.gov/alaska/ref/EIS%20EA/BeaufortEA_202/Sections_I%20thru%20III.pdf). (June 2006).

MMS (Minerals Management Service). 2006c. Arctic Ocean offshore continental shelf seismic surveys 2006. Final Programmatic Environmental Assessment. OCS EIS/EA MMS 2006-038. Minerals Management Service, Anchorage, Alaska.

MMS (Minerals Management Service). 2006d. Proposed outer continental shelf oil & gas leasing program: 2007-2012. Draft Environmental Impact Statement, Volumes 1 and 2. U.S. Department of the Interior, Washington, D.C.

MMS (Minerals Management Service). 2006e. Biological evaluation of the potential effects of oil and gas leasing and exploration in the Alaska OCS Beaufort Sea and Chukchi Sea planning areas on endangered bowhead whales (*Balaena mysticetus*), fin whales (*Balaenoptera physalus*), and humpback whales (*Megaptera novaeangliae*). Minerals Management Service, Anchorage, Alaska.

Mitchell, E.D. and R.R. Reeves. 1982. Factors affecting abundance of bowhead whales *Balaena mysticetus* in the eastern Arctic of North America, 1915-1980. Biological Conservation 22: 59-78.

Mizroch, S.A. 1992. Distribution of minke whales in the North Pacific based on sightings and catch data. Report to the International Whaling Commission SC/43/Mi36.

Moore, S.E. 1992. Summer records of bowhead whales in the northeastern Chukchi Sea. Arctic 45: 398-400.

Moore, S.E., and E. I. Barrowclough. 1984. Incidental sighting of a ribbon seal (*Phoca fasciata*) in the western Beaufort Sea. Arctic 37: 290.

Moore, S.E. and J.T. Clarke. 1991. Estimates of bowhead whale (*Balaena mysticetus*) numbers in the Beaufort Sea during late summer. Arctic 44: 43-6.

Moore, S.E. and J.T. Clarke. 1992. Distribution, abundance and behavior of endangered whales in the Alaskan Chukchi and western Beaufort seas, 1991: with a review 1982-91. Report of Science Applications International Corporation (SAIC), Maritime Services Division, for Minerals Management Service, Anchorage, Alaska.

Moore, S.E. and K.L. Laidre, 2006. Trends in sea ice cover within habitats used by bowhead whales in the western arctic. Ecological Applications 16(3): 932-944.

Moore, S.E. and R.R. Reeves. 1993. Distribution and movement. Pages 313-386 in J.J. Burns, J.J. Montague, and C.J. Cowles, editors. Special publication 2: the bowhead whale. Society for Marine Mammalogy, Lawrence, Kansas.

Moore, S.E., J.T. Clarke, and D.K. Ljungblad. 1986. A comparison of gray whale (*Eschrichtius robustus*) and bowhead whale (*Balaena mysticetus*) distribution, abundance, habitat preference and behavior in the northeastern Chukchi Sea, 1982-84. Reports of the International Whaling Commission 36: 273-9.

Moore, S.E., J.C. George, K.O. Coyle, and T.J. Weingartner. 1995. Bowhead whales along the Chukotka coast in autumn. Arctic 48: 155-60.

- Moore, S.E., J.C. Bennett and D.K. Ljungblad, 1989a. Use of passive acoustics in conjunction with aerial surveys to monitor fall bowhead whale (*Balaena mysticetus*) migration. Reports of the International Whaling Commission 39: 291-5.
- Moore, S.E., J.T. Clarke, and D.K. Ljungblad. 1989b. Bowhead whale (*Balaena mysticetus*) spatial and temporal distribution in the central Beaufort Sea during late summer and early fall 1979-86. Reports of the International Whaling Commission 39: 283-90.
- Moore, S.E., D.P. DeMaster, and P.K. Dayton. 2000a. Cetacean habitat selection in the Alaskan Arctic during summer and autumn. Arctic 53(4): 432-47.
- Moore, S.E., Waite, J.M., Mazzuca, L.L. and Hobbs, R.C. 2000b. Mysticete whale abundance and observations on prey association on the central Bering Sea shelf. Journal of Cetacean Research and Management 2(3):227-34.
- NMFS (National Marine Fisheries Service). 1999. Endangered Species Act Section 7 consultation (biological opinion) for the U.S. Army Engineer District, Alaska on the proposed construction and operation of the Northstar oil and gas project. NMFS.
- NMFS (National Marine Fisheries Service). 2001a. Biological opinion on oil and gas leasing and exploration activities in the Beaufort Sea, Alaska; and authorization of small takes under the Marine Mammal Protection Act. NMFS.
- NMFS (National Marine Fisheries Service). 2001b. Steller sea lion protection measures. Final Supplemental Environmental Impact Statement. NMFS, Juneau, Alaska.
- NMFS (National Marine Fisheries Service). 2001c. Endangered Species Act Section 7 consultation (biological opinion) for the arctic region for federal oil and gas leasing and exploration in the Alaskan Beaufort Sea. NMFS, Anchorage, Alaska.
- NMFS (National Marine Fisheries Service). 2003. Endangered Species Act Section 7 consultation (biological opinion) on issuance of annual quotas authorizing the harvest of bowhead whales to the Alaska Eskimo Whaling Commission for the period 2003 through 2007. NMFS.
- NMFS (National Marine Fisheries Service). 2004. Alaska groundfish fisheries. Final Programmatic Environmental Impact Statement. NMFS, Juneau, Alaska.
- NMFS (National Marine Fisheries Service). 2005. Setting the annual subsistence harvest of northern fur seals on the Pribilof Islands. Final Environmental Impact Statement. NMFS, Juneau, Alaska.
- NMFS (National Marine Fisheries Service). 2006. Endangered Species Act Section 7 consultation (biological opinion) on oil and gas leasing and exploration activities in the Beaufort Sea. Report of NMFS to the Minerals Management Service.
- NMFS (National Marine Fisheries Service). 2007. Steller sea lion and northern fur seal research Draft Programmatic Environmental Impact Statement. NMFS, Juneau, Alaska.

NRC (National Research Council). 2003. Cumulative Environmental Effects of Oil and Gas activities on Alaska's North Slope. The National Academies Press. Washington, DC. Available: [www.nap.edu/openbook/0309087376/html/1.html](http://www.nap.edu/openbook/0309087376/html/1.html). (June 2007).

Naval Arctic Research Laboratory. 1968, May 3. [Third whale captured, whaler injured]. Entry in Naval Arctic Research Laboratory Log. U.S. Department of the Navy, Barrow, Alaska.

NOAA (National Oceanic and Atmospheric Administration). 2007. Grant Recipient: Alaska Eskimo Whaling Commission. NMFS Alaska NOAA Grant Program Web Page. Available: <http://fakr.noaa.gov/omi/grants.aewc/htm>. (February 2007).

Nerini, M.K., H.W. Braham, W.M. Marquette and D.J. Rugh. 1984. Life history of the bowhead whale, *Balaena mysticetus* (Mammalia: Cetacea). Journal of Zoology (London) 204: 443-468.

Nerini, M.K., D. Withrow, and K. Strickland. 1987. Length structure of the bowhead whale population derived from aerial photogrammetry, with notes on recruitment spring 1985 and 1986. Report to the International Whaling Commission SC/39/PS14.

Nobmann, E.D. 1997. Nutritional benefits of subsistence foods. Institute of Social and Economic Research, University of Alaska, Anchorage.

Norman, S.A., M.M. Muto, D.J. Rugh and S.E. Moore. 2000. Gray whale strandings in 1999 and a review of stranding records in 1995-1998. Report to the International Whaling Commission SC/52/AS5. Available: <http://ourworld.compuserve.com/homepages/iwcoffice/Publications.htm>. (June 2007)

O'Corry-Crowe, G.M. and L.F. Lowry. 1997. Genetic ecology and management concerns for the beluga whale (*Delphinapterus leucas*). Pages 249-274 in A.E. Dizon, S.J. Chivers, and W.F. Perrin, editors. Special publication 3: molecular genetics of marine mammals. Society for Marine Mammalogy, Lawrence, Kansas.

O'Corry-Crowe, G.M., R.S. Suydam, A. Rosenberg, K.J. Frost, and A.E. Dizon. 1997. Phylogeography, population structure and dispersal patterns of the beluga whale *Delphinapterus leucas* in the western Nearctic revealed by mitochondrial DNA. Molecular Ecology 6: 955-970.

O'Hara, T.M., C. Hanns, G. Bratton, R. Taylor, and V.M. Woshner. 2006. Essential and non-essential elements in eight tissue types from subsistence-hunted bowhead whale: nutritional and toxicological assessment. International Journal of Circumpolar Health 65(3):228-242.

Ognev, S.I. 1935. Mammals of the U.S.S.R. and adjacent countries. Vol. 3. Carnivora (Fissipedia and Pinnipedia). Gosudarst. Izdat. Biol. Med. Lit., Moscow. [Translation for National Science Foundation 1962 by Israel Program for Scientific Translation in Jerusalem] 3:466-479.

- Patenaude, N.J., W.J. Richardson, M.A. Smultea, W.R. Koski, G.W. Miller, B. Würsig and C.R. Greene Jr. 2002. Aircraft sound and disturbance to bowhead and beluga whales during spring migration in the Alaskan Beaufort Sea. *Marine Mammal Science* 18(2): 309-335.
- Perryman, W.L. and R. Rowlett. 2002. Preliminary results of a shore-based survey of northbound gray whale calves in 2001. Report to the International Whaling Commission SC/54/BRG3.
- Perryman, W.L., M.A. Donahue, P.C. Perkins, and S.B. Reilly. 2002. Gray whale calf production 1994-2000: are observed fluctuations related to changes in seasonal ice cover. *Marine Mammal Science* 18: 121-144.
- Perryman, W.L., G.M. Watters, L.K. Swartz and R.A. Rowlett. 2004. Preliminary results from shore-based surveys of northbound gray whale calves in 2003 and 2004, with a comparison to predicted numbers based on the distribution of seasonal ice. Report to the International Whaling Commission SC/56/BRG43.
- Philo, L.M., E.B. Shotts and J.C. George. 1993. Morbidity and mortality. Pages 275-312 in J.J. Burns, J.J. Montague, and C.J. Cowles, editors. Special publication 2: the bowhead whale. The Society for Marine Mammalogy, Lawrence, Kansas.
- Platforms of Opportunity Program (POP). 1997. Database of opportunistic marine mammal sightings. Maintained by the National Marine Mammal Laboratory, Alaska Fisheries Science Center, National Oceanic and Atmospheric Administration, Seattle, Washington.
- Popov, L.A. 1976. Status of main ice forms of seals inhabiting waters of the U.S.S.R. and adjacent to the country marine areas. Food and Agriculture Organization of the United Nations Food and Agriculture Organization (FAO) ACMRR/MM/SC/51.17 p.
- Quakenbush, L.T. 1988. Spotted seal, *Phoca largha*. Pages 107-124 in Lentfer, J.W., editor. Selected marine mammals of Alaska. Species accounts with research and management recommendations. Marine Mammal Commission, Washington, D.C.
- Rainey, Froelich. 1940. Eskimo method of capturing bowhead whales. *Journal of Mammalogy* 21(3):362.
- Ramsay, M. and S. Farley. 1997. Upper trophic level research: polar bears and ringed seals. Pages 55-58 in Tucker, W. and D. Cate, editors. The 1994 Arctic Ocean section: The first scientific crossing of the Arctic Ocean. CRREL Special Report 96-23. U.S. Army Cold Regions Research and Engineering Laboratory, Hanover, New Hampshire.
- Reeves, R.R. 1998. Distribution, abundance and biology of ringed seals (*Phoca hispida*): an overview. Pages 9-46 in Heide-Jørgensen, M. P. and C. Lydersen, editors. Ringed Seals in the North Atlantic. The North Atlantic Marine Mammal Commission, Tromsø, Norway.
- Reilly, S.B. 1992. Population biology and status of Eastern Pacific gray whales: Recent developments. Pages 1062-1074 in McCullough, D.R. and R.H. Barrett, editors. *Wildlife 2001: Populations*. Elsevier Press, London.

- Rice, D.W., and A.A. Wolman. 1971. Special Publication 3: the life history and ecology of the gray whale (*Eschrichtius robustus*). American Society of Mammalogists, Lawrence, Kansas.
- Richardson, W.J. (ed.) 1987. Importance of the eastern Alaskan Beaufort Sea to feeding bowhead whales, 1985-86. Report of LGL, Ltd., to Minerals Management Service. NTIS No. PB88150271.
- Richardson, W.J. 1999. Marine mammal and acoustical monitoring of Western Geophysical's open water seismic program in the Alaskan Beaufort Sea, 1998. LGL Re. TA2230-3. Report of LGL, Ltd., and Greeneridge Sciences, Inc., to Western Geophysical, Houston, Texas, and National Marine Fisheries Service, Anchorage, Alaska, and Silver Spring, Maryland.
- Richardson, W.J. and C.I. Malme. 1993. Man-made noise and behavioral response. Pages 631-700 in J.J. Burns, J.J. Montague, and C.J. Cowles, editors. Special publication 2: the bowhead whale. Society for Marine Mammalogy, Lawrence, Kansas.
- Richardson, W. J., B. Würsig, G.W. Miller, and G. Silber. 1986a. Bowhead distribution, numbers and activities. Pages 146-219 in W. J. Richardson, editor. Importance of the eastern Alaskan Beaufort Sea to feeding bowhead whales, 1985. Report of LGL, Ltd., to Minerals Management Service. NTIS No. PB87-124350.
- Richardson, W.J., B. Würsig and C.R. Greene Jr. 1986b. Reactions of bowhead whales, *Balaena mysticetus*, to seismic exploration in the Canadian Beaufort Sea. Journal of the Acoustical Society of America 79(4): 1117-1128.
- Richardson, W.J., B. Würsig, and G.W. Miller. 1987a. Bowhead distribution, numbers and activities. Pages 257-368. In: W. J. Richardson, editor. Importance of the eastern Alaskan Beaufort Sea to feeding bowhead whales, 1985-86. Report of LGL, Ltd., to Minerals Management Service. NTIS No. PB88-150271.
- Richardson, W.J., R.A. Davis, C.R. Evans, D.K. Ljungblad, and P. Norton. 1987b. Summer distribution of bowhead whales, *Balaena mysticetus*, relative to oil industry activities in the Canadian Beaufort Sea, 1980-84. Arctic 40(2): 93-104.
- Richardson, W.F., C.R. Greene, Jr., C.I. Malme and D.H. Thomson. 1995a. Marine mammals and noise. Academic Press, San Diego, California.
- Richardson, W.J., C.R. Greene Jr., J.S. Hanna, W.R. Koski, G.W. Miller, N.J. Patenaude, and M.A. Smulter. 1995b. Acoustic affects of oil production activities on bowhead and white whales visible during the spring migration near Pt. Barrow, Alaska--1991 and 1994 phases. Report of LGL, Ltd., to Minerals Management Service. OCS Study MMS 95-0051.
- Richardson, W.J., G.W. Miller and C.R. Greene Jr. 1999. Displacement of migrating bowhead whales by sounds from seismic surveys in shallow waters of the Beaufort Sea. Journal of the Acoustical Society of America 106(4, Pt. 2): 2281.

- Rooney, A.P., R.L. Honeycutt, and J.N. Derr. 2001. Historical population size change of bowhead whales inferred from DNA sequence polymorphism data. *Evolution* 55(8): 1678-85.
- Rugh, D. 1990. Bowhead whales reidentified through aerial photography near Point Barrow, Alaska. *Reports of the International Whaling Commission (special issue)* 12: 289-94.
- Rugh, D. J., K. E. W. Shelden and D. E. Withrow. 1997. Spotted seal, *Phoca largha*, in Alaska. *Marine Fisheries Review* 59(1): 1-18.
- Rugh, D.J., M.M. Muto, S.E. Moore, and D.P. DeMaster. 1999. Status review of the eastern North Pacific stock of gray whales. U.S. Department of Commerce, National Oceanic and Atmospheric Administration Technical Memorandum NMFS-AFSC-103.
- Rugh, D.J., J.M. Breiwick, R.C. Hobbs, and J.A. Lerczak. 2002. A preliminary estimate of abundance of the eastern North Pacific stock of gray whales in 2001 and 2002. Report to the International Whaling Commission SC/54/BRG6.
- Rugh, D., D. DeMaster, A. Rooney, J. Breiwick, K. Shelden, and S. Moore. 2003. A review of bowhead whale (*Balaena mysticetus*) stock identity. *Journal of Cetacean Research and Management* 5(3): 267-279.
- Rugh, D. J., R. C. Hobbs, J. A. Lerczak, and J. M. Breiwick. 2005. Estimates of abundance of the Eastern North Pacific stock of gray whales 1997 to 2002. *Journal of Cetacean Research and Management* 7(1):112.
- Schliebe, S., T. Evans, K. Johnson, M. Roy, S. Miller, C. Hamilton, R. Meehan, S. Jahrsdoerfer, 2006. Rangewide status review of the polar bear (*Ursus maritimus*). U.S. Fish and Wildlife Service, Anchorage, Alaska.
- Shaughnessy, P.D. and F.H. Fay. 1977. A review of the taxonomy and nomenclature of North Pacific harbour seals. *Journal of Zoology (London)* 182: 385-419.
- Shelden, K. E. W., D. P. DeMaster, D. J. Rugh, and A. M. Olson. 2001. Developing classification criteria under the U.S. Endangered Species Act: bowhead whales as a case study. *Conservation Biology* 15:1300-1307.
- Shotts, E.B., T.F. Albert, R.E. Wooley, and J. Brown. 1990. Microflora associated with the skin of the bowhead whale (*Balaena mysticetus*). *Journal of Wildlife Diseases* 26: 351-359.
- Shustov, A. P. 1965. Distribution of the ribbon seal (*Histriophoca fasciata*) in the Bering Sea. Pages 118-121 in Pavloskii, E. H., B. A. Zenkovich, S. E. Kleinenberg, and K. K. Chapskii, editors, *Marine Mammals*. Izvetsiya Nauka, Moscow. [Translated from Russian by U. S. Naval Oceanographic Office, Washington, D. C., 1970. Translation 474.]
- Siku Circumpolar News Service. 2005. Bowhead whaling tragedy stuns Bering Strait community. May 13, 2005. Available: <http://www.nunatsiaq.com/archives/50513/news/arctic/briefs.html>. (March 2006).

- Small, R. J., and D. P. DeMaster. 1995. Alaska marine mammal stock assessments 1995. U.S. Department of Commerce, National Oceanic and Atmospheric Administration Technical Memorandum NMFS-AFSC-57.
- Smirnov, N.A. 1929. A review of the Pinnipedia of Europe and northern Asia. Izvetya Otdela Prikladnoy Ikhtioligi. 9:231-268. [Translated From Russian by F. H. Fay, University of Alaska, Fairbanks.]
- Smith, T. G. 1987. The ringed seal, *Phoca hispida*, of the Canadian Western Arctic. Canadian Bulletin of Fisheries and Aquatic Sciences 216: 81 p.
- Smith, T. G. and I. Stirling. 1975. The breeding habitat of the ringed seal (*Phoca hispida*). The birth lair and associated structures. Canadian Journal of Zoology 53: 1297-1305.
- Spero News. 2005. Presbyterian Alaskan whalers hit by tragedy. Available: <http://www.speroforum.com/site/article.asp?idCategory=33&idarticle=1401>. (December 2006).
- Stewart, B. S. and W. T. Everett. 1983. Incidental catch of a ribbon seal (*Phoca fasciata*) in the central North Pacific. Arctic 36: 369.
- Stoker, S.W. and I.I. Krupnik. 1993. Subsistence whaling. Pages 579-630 in J.J. Burns, J.J. Montague and C.J. Cowles, editors. Special Publication 2: the bowhead whale. Society for Marine Mammalogy, Lawrence, Kansas.
- Suydam, R.S. and J.C. George. 1992. Recent sightings of harbour porpoises, *Phocoena phocoena*, near Point Barrow, Alaska. Canadian Field-Naturalist 106(4): 489-492.
- Suydam, R.S. and George, J.C. 2004. Subsistence harvest of bowhead whales (*Balaena mysticetus*) by Alaska Eskimos, 1974 to 2003. Report to the International Whaling Commission SC/56/BRG12.
- Suydam, R.S., George, J.C., Hanns, C., and Sheffield, G. 2005. Subsistence harvest of bowhead whales (*Balaena mysticetus*) by Alaska Eskimos during 2004. Report to the International Whaling Commission SC/57/BRG15.
- Suydam, R.S., George, J.C., Hanns, C., and Sheffield, G. 2006. Subsistence harvest of bowhead whales (*Balaena mysticetus*) by Alaska Eskimos during 2005. Report to the International Whaling Commission SC/58/BRG21.
- Suydam, R.S., George, J.C., Rosa, C., Person, B., Hanns, C., Sheffield, G., and Bacon, J. 2007. Subsistence harvest of bowhead whales (*Balaena mysticetus*) by Alaska Eskimos during 2006. Report to the International Whaling Commission SC/59/BRG4.
- Teilmann, J., E.W. Born and M. Acquarone. 1999. Behaviour of ringed seals tagged with satellite transmitters in the North Water polynya during fast-ice formation. Canadian Journal of Zoology 77: 1934-1946.

- Thomson, D.H., D.B. Fissel, J.R. Marko, R.A. Davis, and G.A. Borstad. 1986. Distribution of bowhead whales in relation to hydrometeorological events in the Beaufort Sea. Environmental Study Revolving Funds Report 028. Canadian Department of Indian and Northern Affairs, Ottawa, Ontario.
- Tikhomirov, E. A. 1966. Reproduction of seals of the family Phocidae in the North Pacific. *Zoologicheskii Zhurnal* 45: 275-281. [Translated from Russian by Fisheries Research Board of Canada, 1971, Translation Serial 1889.]
- Tomilin, A.G. 1957. Mammals of the U.S.S.R. and adjacent countries. Volume 9. Cetacea. [Translated by the Israel Program for Scientific Translations, Jerusalem, 1967, NTS No. TT-6550086].
- Treacy, S.D. 2002. Aerial surveys of endangered whales in the Beaufort Sea, fall 2001. OCS Study MMS 2002-061. Report to Minerals Management Service, Anchorage, Alaska.
- Tynan, C.T. and D.P. DeMaster. 1997. Observations and predictions of arctic climate change: potential effects on marine mammals. *Arctic* 50(4): 308-322.
- U. S. Census Bureau. 2007. Census 2000. Available: [http://factfinder.census.gov/home/saff/main.html?\\_lang=en](http://factfinder.census.gov/home/saff/main.html?_lang=en). (March 2007).
- USFWS (U.S. Fish and Wildlife Service). 1996. Spectacled eider recovery plan. Anchorage, Alaska.
- USFWS (U.S. Fish and Wildlife Service). 2002a. Steller's Eider Recovery Plan. Fairbanks, Alaska.
- USFWS (U.S. Fish and Wildlife Service). 2002b. Letter of concurrence regarding Issuance of Quotas to the Alaska Eskimo Whaling Commission from Ted Swem to Donna Wieting.
- USFWS (U.S. Fish and Wildlife Service). 2005. Short-tailed albatross Draft Recovery Plan. Anchorage, Alaska.
- U.S. Government. 1983. Report on nutritional, subsistence, and cultural needs relating to the catch of bowhead whales by Alaskan Natives. Report of the U.S. Government to the International Whaling Commission.
- Urban-Ramirez, J., L.Rojas-Bracho, H. Perez-Cortes, A. Gomez-Gullardo, S. Swartz and R.L. Brownell. 2002. A review of gray whales in their wintering grounds in Mexican waters. Report to the International Whaling Commission SC/54/BRG1.
- Wade, P.R., and D.P. DeMaster. 1996. A Bayesian analysis of eastern Pacific gray whale population dynamics. Report to the International Whaling Commission SC/48/AS3.
- Wade, P.R. and G.H. Givens. 1997. Designing catch control laws that reflect the intent of aboriginal subsistence management principles. Reports of the International Whaling Commission 47: 871-874.

- Wade, P.R., and W. Perryman. 2002. An assessment of the eastern gray whale population in 2002. Report to the International Whaling Commission SC/54/BRG7.
- Wartzok, D., Watkins, W.A., Würsig, B., Guerrero, J. and Schoenherr, J. 1990. Movements and behaviors of bowhead whales. Rep. to Amoco Production Company, Denver, Colorado.
- Watt-Cloutier, S. 2005. Petition to the Inter American Commission on Human Rights seeking relief from violations resulting from global warming caused by acts and omissions of the United States. Submitted by Sheila Watt-Cloutier with the support of the Inuit Circumpolar Conference on behalf of all the Inuit of the arctic regions of the United States and Canada.
- Willett, C.E., T.M. O'Hara, and T. Rowles. 2002. Bowhead whale health and physiology workshop 2001: Summary for the International Whaling Commission (IWC) Scientific Committee. Unpublished document SC/54/BRG1 presented to the IWC SC, April 2002, Shimonoseki, Japan. 14p. International Whaling Commission, Cambridge.
- Wohlfarth, C., 2004. The whale and the supercomputer: on the northern front of climate change. North Point Press, New York.
- Woodby, D.A. and Botkin, D.B. 1993. Stock sizes prior to commercial whaling. pp. 387-407. In: J.J Burns, J.J. Montague and C.J. Cowles, editors. Special publication 2: the bowhead whale. Society for Marine Mammalogy, Lawrence, Kansas.
- Worl, R. 1979. Sociocultural assessment of the impact of the 1978 International Whaling Commission quota on the Eskimo communities. Prepared for the U.S. Department of the Interior, December 1979. University of Alaska Arctic Environmental Information and Data Center, Anchorage.
- Woshner, V.M., T.M. O'Hara, G.R. Bratton, R.S. Suydam, and V.R. Beasley. 2001. Concentrations and interactions of selected essential and non-essential elements in bowhead and beluga whales of Arctic Alaska. Journal of Wildlife Diseases 37: 693-710.
- Woshner, V.M., T.M. O'Hara, J.A. Eurell, M.A. Wallig, G.R. Bratton, V.R. Beasley, and R.S. Suydam. 2002. Distribution of inorganic mercury in liver and kidney of beluga whales, compared to bowhead whales, through autometallographic development of light microscopic tissue sections. Toxicologic Pathology 30 (2): 209-215.
- Zeh, J.E., C.W. Clark, J.C. George, D. Withrow, G.M. Carroll and W.R. Koski. 1993. Current population size and dynamics. p. 409-489 in: J.J. Burns, J.J. Montague, and C.J. Cowles, editors. Special publication 2: the bowhead whale. Society for Marine Mammalogy, Lawrence, Kansas.
- Zeh, J. E., and A. E. Punt. 2004. Updated 1978-2001 abundance estimates and their correlations for the Bering-Chukchi-Beaufort Seas stock of bowhead whales. Report to the International Whaling Commission SC/56/BRG1.

Zelensky, M., V.V. Mel'nikov, V.V. Bichkov. 1995. Role of the Naukan Native Company in encouraging traditional Native use of wildlife resources by Chukotka Native people and in conducting shore based observations on the distribution of bowhead whales, *Balaena mysticetus*, in waters of the Bering Sea and Chukchi Sea adjacent to the Chukotka Peninsula (Russia) during 1994. Report of the Eskimo Society of Chukotka, Provideniya, to the Department of Wildlife Management, North Slope Borough, Barrow, Alaska.

Zhu, Qian. 1996. Studies on the eyes of the bowhead whale (*Balaena mysticetus*), ringed seal (*Phoca hispida*), and caribou (*Rangifer tarandus*). Ph.D. thesis. Institute of Oceanology, Chinese Academy of Sciences, Qingdao 266071, Peoples Republic of China.

This page intentionally left blank.